

Practitioner's Docket No. MPI00-633P1RM

U.S.S.N. 09/939,853

IN THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. – 4. (Canceled)

5. (Currently Amended) An isolated nucleic acid molecule comprising a nucleic acid sequence encoding a polypeptide comprising ~~an~~ the amino acid sequence ~~selected from the group consisting of:~~

(a) ~~a mature form of SEQ ID NO:75; and~~

(b) ~~of~~ SEQ ID NO:75;

or a nucleic acid molecule comprising the complement of the nucleic acid molecule encoding the polypeptide of (a) ~~or (b)~~ SEQ ID NO:75.

6. – 7. (Canceled)

8. (Previously Presented) The nucleic acid molecule of claim 5, wherein the nucleic acid molecule differs by a single nucleotide from a nucleic acid sequence selected from the group consisting of SEQ ID NOS: 74 and 76.

9. (Previously Presented) The nucleic acid molecule of claim 5, wherein said nucleic acid molecule comprises a nucleotide sequence selected from the group consisting of:

(a) a nucleotide sequence selected from the group consisting of SEQ ID NOS: 74 and 76;

(b) a nucleotide sequence differing by one or more nucleotides from a nucleotide sequence selected from the group consisting of SEQ ID NOS: 74 and 76, provided that no more than 5% of the nucleotides differ from said nucleotide sequence; and

(c) the ORF of SEQ ID NO:74.

10. (Previously Presented) The nucleic acid molecule of claim 5, wherein said nucleic acid molecule hybridizes under stringent conditions to a nucleotide sequence chosen from the group consisting of SEQ ID NOS:74 and 76, or a complement of said nucleotide sequence.

(Page 2 of 10)

Practitioner's Docket No. MPI00-633P1RM

U.S.S.N. 09/939,853

11. (Previously Presented) The nucleic acid molecule of claim 5, wherein the nucleic acid molecule comprises a nucleotide sequence selected from the group consisting of:
- (a) a first nucleotide sequence comprising a coding sequence differing by one or more nucleotide sequences from a coding sequence encoding said amino acid sequence, provided that no more than 5% of the nucleotides in the coding sequence in said first nucleotide sequence differ from said coding sequence; and
 - (b) an isolated second polynucleotide that is a complement of the first polynucleotide.
12. (Original) A vector comprising the nucleic acid molecule of claim 11.
13. (Original) The vector of claim 12, further comprising a promoter operably-linked to said nucleic acid molecule.
14. (Original) A cell comprising the vector of claim 12.
15. – 18. (Canceled)
19. (Original) A method for determining the presence or amount of the nucleic acid molecule of claim 5 in a sample, the method comprising:
- (a) providing the sample;
 - (b) contacting the sample with a probe that binds to said nucleic acid molecule; and
 - (c) determining the presence or amount of the probe bound to said nucleic acid molecule,
- thereby determining the presence or amount of the nucleic acid molecule in said sample.
20. (Original) The method of claim 19 wherein presence or amount of the nucleic acid molecule is used as a marker for cell or tissue type.
21. (Original) The method of claim 20 wherein the cell or tissue type is cancerous.
22. – 38. (Canceled)

(Page 3 of 10)

Practitioner's Docket No. MPI00-633P1RM

U.S.S.N. 09/939,853

39. (Original) A pharmaceutical composition comprising the nucleic acid molecule of claim 5 and a pharmaceutically-acceptable carrier.

40. – 41. (Canceled)

42. (Original) A kit comprising in one or more containers, the pharmaceutical composition of claim 39.

43. – 45. (Canceled)

46. (Original) A method for determining the presence of or predisposition to a disease associated with altered levels of the nucleic acid molecule of claim 5 in a first mammalian subject, the method comprising:

- (a) measuring the amount of the nucleic acid in a sample from the first mammalian subject; and
- (b) comparing the amount of said nucleic acid in the sample of step (a) to the amount of the nucleic acid present in a control sample from a second mammalian subject known not to have or not be predisposed to, the disease;

wherein an alteration in the level of the nucleic acid in the first subject as compared to the control sample indicates the presence of or predisposition to the disease.

47. (Original) The method of claim 46 wherein the predisposition is to a cancer.

48. – 49. (Canceled)

50. (Previously Presented) The method of claim 20 wherein the cell or tissue type is from an immune-mediated disease.

51. (Previously Presented) The method of claim 46 wherein the predisposition is to an immune-mediated disease.

(Page 4 of 10)

Practitioner's Docket No. MPI00-633P1RM

U.S.S.N. 09/939,853

52. (Canceled)

53. (Currently Amended) ~~The~~ An isolated nucleic acid molecule ~~of claim 52, wherein the nucleic acid molecule comprises~~ comprising a nucleotide sequence selected from the group consisting of:

- a) SEQ ID NO:74;
- b) SEQ ID NO:76; ~~and~~
- c) the ORF of SEQ ID NO:74; and
- d) the complement of a), b), or c).

54. (Currently Amended) A method for determining the presence or amount of the nucleic acid molecule of claim 52 53 in a sample, the method comprising:

- (a) providing the sample;
- (b) contacting the sample with a probe that binds to said nucleic acid molecule; and
- (c) determining the presence or amount of the probe bound to said nucleic acid molecule,

thereby determining the presence or amount of the nucleic acid molecule in said sample.

55. (Currently Amended) A method for determining the presence or amount of a nucleic acid molecule selected from the group consisting of:

- a) SEQ ID NO:74;
- b) SEQ ID NO:76;
- c) the ORF of SEQ ID NO:74; and
- d) the complement of a), b), or c);

in a sample, the method comprising:

- (i) providing the sample;
- (ii) contacting the sample with a probe that binds to said nucleic acid molecule; and
- (iii) determining the presence or amount of the probe bound to said nucleic acid molecule;

thereby determining the presence or amount of the nucleic acid molecule in said sample. The method of claim 54 wherein presence or amount of the nucleic acid molecule is used as a marker for a cell or tissue type.

(Page 5 of 10)

Practitioner's Docket No. MPI00-633P1RM

U.S.S.N. 09/939,853

56. (Previously Presented) The method of claim 55 wherein the cell or tissue type is cancerous.
57. (Previously Presented) The method of claim 55 wherein the cell or tissue type is from an immune-mediated disease.
58. (Currently Amended) A method for determining the presence of or predisposition to a disease associated with altered levels of the nucleic acid molecule of claim 52 53 in a first mammalian subject, the method comprising:
- (a) measuring the amount of the nucleic acid in a sample from the first mammalian subject; and
 - (b) comparing the amount of said nucleic acid in the sample of step (a) to the amount of the nucleic acid present in a control sample from a second mammalian subject known not to have or not be predisposed to, the disease;
- wherein an alteration in the level of the nucleic acid in the first subject as compared to the control sample indicates the presence of or predisposition to the disease.
59. (Previously Presented) The method of claim 58 wherein the predisposition is to a cancer.
60. (Previously Presented) The method of claim 58 wherein the predisposition is to an immune-mediated disease.
61. (Previously Presented) A vector comprising the nucleic acid molecule of claim 5.
62. (Previously Presented) The vector of claim 61, further comprising a promoter operably-linked to said nucleic acid molecule.
63. (Previously Presented) A cell comprising the vector of claim 61.
64. (Previously Presented) A cell which expresses the nucleic acid molecule of claim 5.

(Page 6 of 10)

Practitioner's Docket No. MPI00-633P1RM**U.S.S.N. 09/939,853**

65. (Currently Amended) A vector comprising the nucleic acid molecule of claim ~~52~~ 53.
66. (Previously Presented) The vector of claim 65, further comprising a promoter operably-linked to said nucleic acid molecule.
67. (Previously Presented) A cell comprising the vector of claim 65.
68. (Currently Amended) A cell which expresses the nucleic acid molecule of claim ~~52~~ 53.
69. (Currently Amended) A pharmaceutical composition comprising a nucleic acid molecule ~~of claim 52~~ selected from the group consisting of:
- a) SEQ ID NO:74;
 - b) SEQ ID NO:76;
 - c) the ORF of SEQ ID NO:74; and
 - d) the complement of a), b), or c);
- and a pharmaceutically-acceptable carrier.
70. (Previously Presented) A kit comprising in one or more containers, the pharmaceutical composition of claim 69.
71. (Previously Presented) A nucleic acid molecule consisting of a nucleotide sequence selected from the group consisting of:
- a) SEQ ID NO:74;
 - b) SEQ ID NO:76;
 - c) the ORF of SEQ ID NO:74;
 - d) SEQ ID NO:140;
 - e) SEQ ID NO:141; and
 - f) SEQ ID NO:142.
72. (Previously Presented) The method of claim 19, wherein the probe is a nucleic acid molecule consisting of the nucleotide sequence of SEQ ID NO:74, SEQ ID NO:76, or a complement thereof.

(Page 7 of 10)

Practitioner's Docket No. MPI00-633P1RM**U.S.S.N. 09/939,853**

73. (Previously Presented) The method of claim 54, wherein the probe is selected from the group consisting of:

- a) SEQ ID NO:140;
- b) SEQ ID NO:141;
- c) SEQ ID NO:142; and
- d) the ORF of SEQ ID NO:74, or a complement thereof.

(Page 8 of 10)